

## **Historic, Archive Document**

Do not assume content reflects current scientific knowledge, policies, or practices.






62.83

519485

**PIRTLE'S**

**CACTUS GARDEN**

**J. R. PIRTLE & SONS**



**Native & Exotic Cacti & Other**

**Succulents**

---

**Retail Price List**

---



**LOWER RIO GRANDE VALLEY**

**Morningside Blvd. at Wisconsin**



**EDINBURG, TEXAS.**

---

PIRTE'S

CACTUS GARDEN

A. R. FINE & SONS



Native & Exotic Cacti & Other

Specimens

Small Price List



LOWER RIO GRANDE VALLEY

Monterey Blvd. at Wisconsin

EL PASO, TEXAS









PIRTLE'S CACTUS GARDEN  
J. R. PIRTLE & SONS,  
Morningside Blvd. at Wisconsin  
EDINBURG, TEXAS.  
NATIVE & EXOTIC CACTI AND  
OTHER SUCCULENTS  
Retail Price List No. 3

---

Terms; Cash with order

P-Plant. S-Seedling. G-Graft

C-Cutting. X-Not Prepaid

\*-Larger or specimen plants

If we do not list plants you want please write us, as we are constantly acquiring new species and may now have same.

We have hundreds of specimen plants.....Will be glad to quote prices upon request.

We will deliver postpaid, or express prepaid, in the United States only, on orders of \$1.00 and over, except where otherwise stated.

While every effort has been made to properly classify our plants, we do not guarantee nomenclature given to be correct. We have the four volumes of Britton & Rose, (Cactaceae) and are constantly checking up on our plants.

No substitution will be made without advice from customer. Please list extra plants when ordering in case our stock is depleted.

Miniature Gardens---Planted in appropriate pottery. Prices, carefully packed for shipment by express collect, \$1.25, \$1.35, \$1.75, \$2.25, \$3.00, \$4.00, \$5.00, \$6.00 and \$10.00. Approximate weight 10 to 35 pounds.

### CRISTATES

We sometimes have grafted plants of cristates at \$1.00 up, according to size and rarity. Write your wants in cristates.



**Acanthocereus (Night Blooming)**

honduriensis .....	C	.35
horridus .....	C	.35
pentagonus .....	C	.25

**Ancistrocactus**

scheerii .....	P	.15 to .50
----------------	---	------------

**Ariocarpus**

fissuratus .....	P	.25 to .50
furfuraceus .....	P	1.00 to 3.00
kotschoubeyanus .....	P	1.00 to 3.00
trigonus .....	P	1.00 to 3.00

**Astrophytum**

asterias .....	P	.25 to 1.00
capricorne .....	P	.50 to 3.50
myriostigma .....	P	.25 to 3.00
ornatum .....	P	.25 to 5.00

Aztekium ritterii .....	P	1.00
-------------------------	---	------

**Bartschella**

schumannii .....	C	.35
------------------	---	-----

Cactus amoenus .....	S	.25 up
----------------------	---	--------

broadwayii .....	S	.25 up
------------------	---	--------

**Carnegiea**

X gigantea .....	P	5.00 up
------------------	---	---------

**Cephalocereus**

albispinus .....	C	1.00 up
------------------	---	---------

arrabidae .....	C	.50 up
-----------------	---	--------

atroviridis .....	C	1.00 up
-------------------	---	---------

chrysacanthus .....	C	1.00 up
---------------------	---	---------

gounellei .....	C	1.00 up
-----------------	---	---------

leucocephalus .....	C	2.00 up
---------------------	---	---------

moritzianus .....	C	.50 up
-------------------	---	--------

nobilis .....	C	.50 up
---------------	---	--------

*palmeri .....	C	.50 up
----------------	---	--------

royenii .....	C	.50 up
---------------	---	--------

senilis .....	S	.25 up P 1.00 up
---------------	---	------------------

**Cereus**

alacriportanus .....	C	.50 up
----------------------	---	--------

bolivianus monstr. ....	C	1.00 up
-------------------------	---	---------

caesius hybrid .....	C	.50 up
----------------------	---	--------

*X caesius monstrosus .....	C	1.00 up
-----------------------------	---	---------

childsii (red flower) .....	C	1.00 up
-----------------------------	---	---------

dayamii .....	C	.50 up
---------------	---	--------

hexagonus .....	C	.50 up
-----------------	---	--------

hildmannianus .....	C	.50 up
---------------------	---	--------

inermis .....	C	.50 up
---------------	---	--------

jamacaru .....	C	.50 up
----------------	---	--------

microspermus .....	C	1.00 up
--------------------	---	---------



Cereus (cont'd)		
peruvianus type.....	C	.50 up
X peruvianus		
monstrosus.....	C	1.00 up
X peruvianus		
monstr. cristate.....	C	1.00 up
*peruvianus		
longispinus.....	C	.50 up
X peruvianus longi-		
spinus monstrosus.....	C	1.00 up
stenogonus.....	C	.50 up
tetragonus.....	C	1.00 up
thalassinus.....	C	.50 up
Chamaecereus		
silvestrii.....	C	.15 to .25
Cleistocactus		
anguinus.....	C	.50 up
baumannii.....	C	.25 to 1.50
straussii		
(Borziactus B&R).....	C	.50 up
Consolea		
moniliformis.....	C	.25 to 1.00
rubescens.....	C	.25 to 1.00
spinosissima.....	C	.25 to 1.00
Coryphantha erecta.....		
runyonii.....	P	1.50
	P	.25 up
Dolicothele		
*sphaerica.....	P	.25 up
Echinocactus		
grusonii.....	P	.25 to 5.00
Echinocereus		
blanckii.....	C	.25
enneacanthus.....	P	.25 up
fitchii.....	P	.15 to .50
papillosus.....	P	.15 to .50
pentalophus.....	P	.15 to .50
Echinofossulocactus		
lamellosus.....	P	1.00
Echinopsis		
bridgesii.....	C	.50 up
*calochlora.....	C	.25 up
*campylacantha ?.....	C	.25 up
colmarii.....	C	.25 up
*eyriesei.....	C	.25 up
imperialis.....	C	.50 up
mia.....	C	.25 up
*muelleri.....	C	.15 up



## Echinopsis (Cont'd)

*multiplex	C	.15	up
quehlii	C	.25	up
rhodotricha	C	.50	up
ritteri	C	.25	up
rotheri	C	.25	up
schelhasei	C	.25	up
triumphans	C	.25	up
*tubiflora	C	.15	up
*turbinata	C	.15	up
variabilis	C	.25	up
*wilkensis	C	.25	up

## Escobaria

runyonii	P	.15	to	.50
----------	---	-----	----	-----

## Ferocactus

acanthodes	P	.50	to	1.00
alamosanus	P	1.00		
flavovirens	C	1.00		
glaucescens	S	.35	to	.50
hamatacanthus	P	.35	to	2.50
latispinus	S&P	.25	to	1.50
rafaelense	P	.50	up	
wislizeni	P	1.00	up	

## Gymnocalycium

baldianum	C	.50	up	
denudatum	C	.50	G	1.00 up
mihanovichii	P	.75		
netrelianum	C	.35	G	1.00 up

## Hamatocactus

setispinus	P	.15	to	.50
------------	---	-----	----	-----

## Harrisia

aboriginum	C	.25	to	1.00
bonplandi	C	.25	to	1.00
brookii	C	.25	to	1.00
eriophora	C	.25	to	1.00
fragrans	C	.25		
jusbertainii	C	.35	to	1.00
martinii	C	.15	to	.50
pomanensis	C	.35	to	2.50
tortuosa	C	.35	to	1.00

## Homalocephala

texensis	P	.25	to	1.00
----------	---	-----	----	------

## Hylocereus

costaricensis	C	.25	up	
guatemalensis	C	.25	up	
lemairei	C	.25	up	
ocamponus	C	.50	up	



## Hylocereus (Cont'd)

trigonus.....	C	.25 up
triangularis.....	C	.25 up
undatus.....	C	.25 up
venezuelensis.....	C	.25 up

## Lemaireocereus

beneckei.....	C	.50 to 3.00
dumortieri.....	C	1.00 to 3.00
hollianus.....	C	.50 to 5.00
hystrix.....	C	1.00 to 2.00
pruinosis.....	C	.50 to 3.00
stellatus.....	C	.50 to 3.00
treleasei.....	C	1.00 to 5.00
X—weberi.....	C	2.50 up

## Leptocereus

grantianus.....	C	.50 to 1.50
quadricostatus.....	C	.50 to 1.00

*Lobivia aurea, backbergii, boliviensis, cinnabarina, famatimensis, mistiensis, psuedocachensis, saltensis, and others.* Occasional grafts available. Write for prices.

## Lophocereus

australis.....	C	.50 to 5.00
gatesii.....	C	.50 to 1.50
sargentianus.....	C	.50 to 1.00
schottii.....	C	.50 to 3.00
schottii monstrose.....	C	1.00 up

## Lophophora

williamsii.....	P	.15 to 1.00
-----------------	---	-------------

## Malacocarpus

erinaceus.....	G	1.00
lenninghausii.....	G&P	.75 to 5.00
ottonis.....	G	1.00 up
submammulosus.....	S	.25

## Mediocactus

*coccineus, variety*

setaceus.....	C	.35 to 1.00
---------------	---	-------------

## Monvillea

cavendishii.....	C	.35 to 1.00
insularis.....	C	1.00
lauterbachii.....	C	.50 to 1.00
marmorata.....	C	.50 to 1.00
spgazzinii.....	C	.50 to 1.00

## Myrtillocactus cochal

geometrizzans.....	C	.25 to 2.00
--------------------	---	-------------

## Neomammillaria

<i>candida</i> .....	P 1.00 to 1.50
<i>celsiana</i> .....	P .50 up
<i>camptotricha</i> .....	P .35 to 1.50
<i>chinocephala</i> .....	P 1.50 to 2.00
* <i>compressa</i> .....	P .50 to 3.50
* <i>compressa angularis</i> .....	P 1.00 to 2.50
<i>elegans</i> .....	P 1.00 to 2.50
<i>elongata</i> .....	P .35 to 1.00
<i>gigantea</i> .....	P 1.00 to 2.00
<i>hahniana</i> .....	P 1.00 to 1.50
<i>herreræ</i> .....	P 1.00
<i>heyderii</i> .....	P .15 to 1.00
<i>klissingiana</i> .....	P 1.00 to 2.00
<i>magnimamma</i> .....	P .25 to 3.00
<i>mazatlanensis</i> .....	C .50
<i>melanocentra</i> .....	P 1.00 to 3.00
<i>multiceps</i> .....	P .15 to .50
<i>mystax</i> .....	P 1.00 to 2.00
<i>parkinsonii</i> .....	P 1.00 to 5.00
<i>petterssonii</i> .....	P 1.00 to 2.00
<i>plumosa</i> .....	P .35 to 1.00
<i>psuedoperbella</i> .....	P 1.00 to 3.00
<i>psuedorekoi</i> .....	C .50 to 1.00
<i>rhodantha</i> .....	P 1.00 to 2.00
<i>sempervivi</i> .....	P 1.00 to 2.00
<i>sinaloensis</i> .....	C .50
<i>sphacelata</i> .....	C .50
<i>spinosissima</i> .....	P 1.00
<i>winteriana</i> .....	P 1.00 to 3.00

## Nopalea

<i>auberii</i> .....	C .15
<i>cochenillifera</i> .....	C .15
<i>dejecta</i> .....	C .15
<i>brittonii</i> .....	C .15
<i>inaperta</i> .....	C .15
<i>karwinskiana</i> .....	C .25

## Nyctocereus

<i>serpentinus</i> .....	C&P .25 to 1.50
--------------------------	-----------------

## Obregonia

<i>denegrii</i> .....	P 1.00 to 2.00
-----------------------	----------------

## Opuntia

<i>aurantiaca</i>	<i>macrocalyx</i>
<i>bigelovii</i>	<i>microdasys</i>
<i>fulgida</i>	<i>opuntia</i>
<i>grandiflora</i>	<i>prolifera</i>
<i>imbricata</i>	<i>retrorsa</i>



**Opuntia (cont'd)**

kleiniae

rufida

leptocaulis

tomentosa

mamillata

vulgaris var.

All above cuts .15 each

**Opuntia**

burrageana

ficus indica

ciribe

lubrica

clavellina

linguaforme

evansiana

pilifera

All above cuts .25 each

**Oreocereus**

celsiana var.

brunneowii..... G 1.50 up

**Pachycereus**

marginatus..... C .50 to 5.00

pecten aboriginum..... C 1.50 to 5.00

\*pringlei..... S&amp;P .50 to 9.00

**Peresklopsis**

chapistle..... C .25 to 1.00

**Rathbunia**

alamosensis..... C .50 to 3.00

**Selenicereus**

brevispinus..... C .25 to 1.00

macdonaldiae..... C .25 to 1.00

pteranthus..... C .25 to 1.00

spinulosus..... C .25 to 1.00

vagans..... C .25 to 1.00

**Thelocactus**

bicolor..... P .15 to .50

**Trichocereus**

candicans..... C 1.00 to 3.00

cuzcoensis..... C 1.00

\*huascha..... C .50 to 1.50

pachanoi..... C .50 to 3.00

spachianus..... C .25 to 2.00

**Wilcoxia**

poselgeri..... P .50 to 1.00

**OTHER SUCCULENTS****Agave**

americana

variegata..... P .25 up

decipiens..... P .25 to 1.00

nickelsae..... S .25 to 1.00

## Aloe

arborescens	P	.25 up
beguinii	P	.25 to 1.00
brevifolia	P	.15 to 1.00
ciliaris	C	.15
commutata	P	.15 to 1.00
distans	P	.25 to 1.00
eru	C	.50 to 1.50
heteracantha	P	.35 to 1.00
*marlothii	P	1.00 up
nobilis	P	.25 to .75
parvibracteata	P	.25 to 1.00
spinosissima	C	.50 to 1.50
vera	P	.15 to 2.00

## Caralluma

lutea	P	.15 to .50
-------	---	------------

## Ceropegia

sandersonii	C	.25 to .50
woodii	P	.15 to .35

## Crassula

lycopodioides	P	.15 to .25
monticola	P	.15 to .35
perforata	P	.15 to .50

## Echeveria

runyonii	P	.25 to .50
elegans	P	.25 to .50
setosa hybrid	P	.25 to .50
pulvinata	C	.15 to .50
orpetii	P	.25 to .50
elegans hybrid	P	.25 to .50

## Euphorbia

ammak	C	.50 up
ammak hybrid	C	.50 to 5.00
canariensis	C	.50 to 1.00
coerulescens	C	.35 to 1.00
echinus	C	.25
franckiana	C	.25 to 1.00
grandicornis	C	.50 to 3.00
grandidens	C	.25 to .50
hermentiana	C	.35
ingens	C	.50 to 2.00
lactea	C	.15 to 1.00
*lactea cristate	P	.50 to 2.00
neriifolia	C	.50 to 2.00
officinarium	C	.50 to 1.00
psuedocactus	C	.25 to .75
triangularis	C	.25 to .75



## Gasteria

angulata	P	.25 to .50
brevifolia	P	.25 to .50
cheillophylla	P	.35 to 1.00
columbrina	P	.25 to .75
disticha angulata	P	.25 to .50
echinata glauca	P	.25 to 1.00
glabra	P	.50
maculata	P	.25 to .75
minima	P	.25 to .50
marmorata minima	P	.25 to .50
nitida	P	.50
planifolia	P	.35 to .75
pulchra	P	.25 to 1.00
scaberrima	P	.25 to 1.00
trigona	P	.25 to 1.00
verucosa	P	.15 to .50

## Haworthia

attenuata	P	.25 to .50
cassytha	P	.35
coarctata	P	.15 to .75
cymbiformis	P	.15 to 1.00
denticulata	P	.50 to 1.00
fasciata	P	.25 to 1.00
glabrata concolor	P	.15 to 1.00
margaretifera	P	.15 to .75
psuedorigida	P	.25 to .50
radula	P	.25 to .75
rigida	P	.25 to .50
tesselata	P	.25 to .75
viscosa	P	.25 to .50

## Huernia

penziggi	P	.15 to .50
pillansii	P	.25
schneideriana	P	.15 to .50

## Kalanchoe

daigremontianum	P	.15 to .35
fedtschenkoi	P	.15 to .50
marmorata	C	.25 to .50
somaliensis	C	.15 to .50
tubiflora	P	.15 to .50
houghton hybrid	P	.15 to .50

## Kitchingia

beharensis	P	.25 to 1.00
mandrakensis	P	.25 to 1.00

## Lenophyllum

texanum	P	.15 to .25
---------	---	------------



## Manfreda

maculosa .....	P	.25 to .50
variegata.....	P	.50 to 1.00

## Sedum

adolphi .....	P	.15 to .35
guatemalense .....	P	.15 to .35

## Stapelia

bufonia.....	P	.15 to .25
gigantea .....	P	.25 to 1.00
hirsuta.....	P	.15 to .50
variegata.....	P	.15 to .35

Miniature garden assortment, mixed cacti and other succulents; 6 plants for 6 inch pot or receptacle of same diameter \$1.00; 10 plants for 8 inch pot \$1.50; 15 plants for 10 inch pot \$2.25; 20 plants for 12 inch pot \$3.00; 25 plants for 14 inch pot \$3.75; 30 plants for 16 inch pot \$4.50.

Mixed cacti seed 15 cents per packet.



Join the Cactus & Succulent Society of America--Membership and subscription to the Journal, published monthly, \$3.00 per year---Address Box 101, Pasadena, California.

Our garden is located the same distance from Edinburg, Alamo and San Juan, and any Filling Station at these points will give directions for reaching same.





**-From-**  
**PIRTLE'S CACTUS GARDEN**  
**J. R. PIRTLE & SONS**  
**EDINBURG, TEXAS.**



**U. S. DEPARTMENT OF AGRICULTURE**

**OFFICIAL BUSINESS**

**PENALTY FOR PRIVATE USE TO AVOID  
PAYMENT OF POSTAGE, \$300**

**GPO**

**To**  
-----  
-----

**LIBRARY**

**U. S. Department of Agriculture**

**Washington 25, D. C.**